

Reconstructive work on the city wall





A joint project of the University of California at Los Angeles and the Max Planck Institute for the History of Science

[Home] DIGITAL LIBRARY Work in Progress Publications

About CDLI
Project Associates and Staff
Related Projects
Communications

Method & Conventions Tools & Sundries KI-WWW.

Copyright ⊘ Cuneiform Digital Library Initiative Last Modified June 18, 2002 Funded by the Digital Libraries Initiative (NSF/NEH) and the Max Planck Society

Berlin Mirror

http://cdli.ucla.edu/




The young stutterer
Liam with his
unemployed father,
and the borough
rouser, passing by
their Liverpool flat.




North Koreans labor in South Pyongan province on a UN food-for-work project for three liters of grain

per day.






The system of archaic time notations






MSVO 1, 121 (ca. 3000 B.C., from Jemdet Nasr), demonstrates that the administrative month consisted of 30 days.



MSVO 1, 122 (ca. 3000 B.C., from Jemdet Nasr), demonstrates that the administrative year consisted of 360 days (12 months of 30 days each).




The archaic pig list W 12139 includes notations representing juvenile animals in their first and second years.





The Schøyen collection text MS3035 represents a complex account of slaves, five of whom are qualified as "infants in year one", ten "infants in year two", sixteen "infants in year three". Four-year-olds probably entered the workforce.







The archaic slave account MS 2437 at 72, and detail at archival 600ppi.

Search for signs and words in texts and glossary

cdli

OrSP 47-49, 500

Search Form

(Printer-friendly Version)

Primary Publication Publication history

Collection

Museum no. Join status

Provenience Object type

Genre Subgenre

Language

Period

OrSP 47-49, 500

VAT 07169 No join

Umma

Ur III

Image (Autograph)



Transliteration

Transliteration not available

CDLI text search 2

cdli

OrSP 47-49,

Primary Publication Publication history

Collection Museum no. Join status

Provenience Object type Genre Subgenre

Language Period


OrSP 47-49


VAT 07169 No join Umma

Ur III

Image (Autograph)







Metrological systems of the proto-cuneiform texts

CDLI numerical conventions

Formal Constituents

Unit

element of measure, e.g., sila3, gur, etc.

Count

means of expressing 1 or more of a Unit.

Value

a single combination of COUNT and UNIT.

Ancient Equivalency Value (AEV)

an ancient equivalency VALUE, e.g., 5000 sila3; a property of either UNIT, VALUE or AMOUNT.

Modern Equivalency Value (MEV)

a modern equivalency VALUE, e.g., 1 liter; a property of either UNIT, VALUE or AMOUNT.

System

a definitional collection of UNITs, COUNTs, VALUEs, AEVs and MEVs which may optionally be localized in time and/or place and/or by keyword.

Quantity

a complete sequence of VALUEs expressed in a given SYSTEM.

Commodity

the counted referent of an AMOUNT

Source: http://inanna.museum.upenn.edu/cdli/num/index.html

<!--

The Q element contains a QUANTITY consisting of an optional N (which is the original grapheme sequence classified as N in initial conversion process) followed by a sequence of COUNT-UNIT pairs, an optional system-classifier (SYS-CLASS).

The @SYSTEM attribute on Q defines the SYSTEM and is an IDREF which should refer to the XML database of systems.

The @MEV attribute enables caching of modern-equivalency-values.

The @AEV attribute enables caching of ancient-equivalency-values.

This means that display of texts can toggle between displaying the original 'N', the digested sequence of count-unit pairs, the modern equivalent or the ancient equivalent (expressed in the base unit of the respective system).

DTD insertion to accommodate numerical definitions


&P105809


- 1. 9(disz) udu u2
- 2. 2(disz) udu niga
 udu ug7-am3
- mu geme2 usz-bar-e-ne-

sze3

- 5. gu4-da-szum
- @reverse
- szu ba-ti
- 2. iti ezem-mah
- 3. mu e2 PUZUR4-isz-{d}da-

gan ba-du3





Example of a simple ASCII text translitera-tion according to CDLI standards, without overlay (semantic) tagging.

```
<text xmlns="http://cdli.ucla.edu/text/P105809"
id="BIN 3, 2" xml:lang="sux">
<object type="tablet">
<surface type="obverse">
<column n="0">
<! n="1">
< n > < y > < g > 9 (disz) < / y > < / n > < w > < g > udu < / g > < / w > < g > u2 < / g > < / w >
<w><g>udu</g><g>ug7</g>am3</g> </w><w><g>ug7</g><g>am3</g></w>
</l>
< 1 n = "2" >
<n><w><g>2(disz)</g></w></n><w><g>udu</g></w><w><g>niga</g></w>
</l>
< | n = "3" >
<w><g>udu</g><g>ug7</g>am3</g></w><w><g>ug7</g><g>am3</g></w>
</l>
```

Example of a simple ASCII transliteration scripted to CDLI archival XML.